

PRODUCT DATA SHEET:

Stearates - High Purity Grade



Life Sciences

Stearates - Zinc Stearate - Vegetable - RSPO

Zinc - 921-G RSPO MB: Pharmaceutical grade zinc stearates are used as binders, lubricants and mold release agents for tablets. They are also used in cosmetics as anti-caking agents, dusting additives, emulsifying agents, lubricants, mold release agents and water repellents.

TYPICAL PHYSICAL PROPERTIES	
Melting Point (°C)	118 - 122
Bulk Density (g/ml)	0.30
PSD D10% (micron)	2.0 - 2.6
PSD D50% (micron)	8.9 - 15.5
PSD D90% (micron)	28.4 - 36.5

BSI Code: 921-G RSPO MB

C.A.S. Number: 557-05-1

Monographs: USP / NF / EP / JP

Certifications: Kosher

TYPICAL CHEMICAL PROPERTIES	
Grade	Vegetable
Oxide (%)	12.5 - 14.0
Free Fatty Acid (max %)	1.0
Moisture (max %)	1.0
Soluble Salts (%)	0.1
Lead - Pb (max ppm)	10
Arsenic - AS (max ppm)	1.5
Cadmium - Cd (max ppm)	5

Storage: Store in cool location, keep away from heat and direct sunlight. Keep container sealed.

Handling Precautions: Please refer to the Zinc Stearate Safety Data Sheet.

RSPO - Roundtable on Sustainable Palm Oil.

MB - Mass Balance.

While the data presented in this information sheet reflects the present state of our knowledge and is believed to be accurate and reliable, it is provided without liability as a courtesy only and is to be used and relied upon at the reader's sole risk. Readers should make their own determination as to the suitability of any product for a particular use. We recommend that readers conduct their own product trials before using any particular product. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties rights. The recommendations contained herein do not constitute a warranty, either express or implied, as to the fitness or suitability of any product for a particular purpose. For more information and assistance, please contact Technical Services at BSI_regulatory_dept@brenntag.com

Brenntag Specialties, LLC / 1 Cragwood Rd., Suite 302, South Plainfield, NJ 07080 / 800.732.0562