

LOWINOX[®] 44B25 stabilizer

Phenolic Antioxidant

Description

LOWINOX[®] 44B25 stabilizer is a non-discoloring antioxidant based on a sterically hindered alkylated bis-phenol.

Chemical Name

Phenol, 4,4'-butylidenebis[2-(1,1-dimethylethyl)-5-methyl-

Synonym

4,4'-Butylidenebis[2-t-butyl-5-methylphenol]

CAS-Number:


85-60-9

EINECS-Number:

201-618-5

Formula

LOWINOX[®] 44B25 stabilizer



Typical physical properties of LOWINOX[®] 44B25 stabilizer

Appearance	White powder
Melting range [°C]	209 – 212
Molecular weight [g/mol]	383
Bulk density [kg/m ³]	330

The information contained herein relates to a specific Addivant[™] product and its use, and is based on information available as of the date hereof. Additional information relating to the product can be obtained from the pertinent Material Safety Data Sheets. Nothing in this Technical Data Sheet shall be construed to modify any of Addivant[™] standard terms and conditions of sale under which the product is sold by Addivant[™]. NOTHING IN THIS TECHNICAL DATA SHEET SHALL BE CONSTRUED TO CONSTITUTE A REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE PRODUCT'S CHARACTERISTICS, USE, QUALITY, SAFETY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED. Nothing contained herein shall constitute permission or recommendation to practice any intellectual property without the permission of the owner.

Addivant[™] and the Addivant[™] logo are trademarks of Addivant[™] Corporation or one of its subsidiaries.

Copyright © 2013 Addivant[™] Corporation. All rights reserved.

Solubility (g/100g solvent) @ 20°C

n-Hexane	<0.1	Methanol	43
Ethyl Acetate	63	Toluene	2
Acetone	>200	Water	<0.1
Chloroform	3	Ethanol	43

Thermogravimetric Analysis (10 mg @ 10 K/minute under N₂)

Weight Loss [%]	5	10	25
Temperature [°C]	200	212	217

Application

LOWINOX[®] 44B25 stabilizer is a non-discoloring antioxidant with a wide range of applications for thermoplastics and adhesives. It has excellent performance properties in polyamides and tire cord.

Food Contact

This compound has food contact approvals (FDA) for details please contact AddivantTM Regulatory Affairs Polymer Additives.

Handling and Storage

The use of proper protective equipment is recommended. Excess exposure to the product should be avoided. Wash thoroughly after handling. Store the product in a cool, dry, well-ventilated area away from incompatible materials. Unless otherwise stated, the shelf life of the product is 4 years when it is properly stored.

For additional handling and toxicological information consult the AddivantTM Material Safety Data Sheet.

The information contained herein relates to a specific AddivantTM product and its use, and is based on information available as of the date hereof. Additional information relating to the product can be obtained from the pertinent Material Safety Data Sheets. Nothing in this Technical Data Sheet shall be construed to modify any of AddivantTM standard terms and conditions of sale under which the product is sold by AddivantTM. NOTHING IN THIS TECHNICAL DATA SHEET SHALL BE CONSTRUED TO CONSTITUTE A REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE PRODUCT'S CHARACTERISTICS, USE, QUALITY, SAFETY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED. Nothing contained herein shall constitute permission or recommendation to practice any intellectual property without the permission of the owner.

AddivantTM and the AddivantTM logo are trademarks of AddivantTM Corporation or one of its subsidiaries.

Copyright © 2013 AddivantTM Corporation. All rights reserved.