

Products & Technologies

BKUA 2370 Resin

BKUA 2370 resin is an aqueous dispersion formulated to improve chemical resistance and adhesion of latex and phenoxy polymers.

Applications

Coatings, Protective coatings, Protective coatings: Drum and pail, Protective coatings: Metal protection, Protective coatings: Tank and railcar

Product Composition

Heat-reactive aqueous-based dispersion

Appearance/Form

Liquid

Typical Properties

Form	Dispersion
Viscosity, cP (mPa*sec)	4000 – 9000
Solids, wt. %	44 – 48
Specific Gravity @25°C	1.09 - 1.11
Solvent	Water, Ethylene glycol monobutyl ether

Packaging

Drums

Storage and Handling

Water-based heat-reactive resins have a limited shelf life. Extended storage at high temperatures should be avoided to prolong the useful life of the resins. It is suggested that the resin be stored in a cool, dry location at temperatures between 45°F and 60°F.

The information and technical data herein is believed to be accurate. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHICH ARE SPECIFICALLY EXCLUDED. Nothing contained herein shall be construed as a license to operate under or recommendation to infringe any patents.

BKUA 2370 Resin

Contact Information

[Contact us online](#)

Related Product Categories

- [Coatings](#)
- [Phenolic/Phenol-Formaldehyde \(PF\) - Resole](#)

Related Industries

- [Coatings](#)