

## Southeastern Performance Minerals, LLC

### CD 325 Muscovite Mica


#### General Description

CD 325 is a specialty ground muscovite mica with a platy shape, high aspect ratio, chemical inertness, and superior color. These characteristics make CD 325 an acceptable, cost effective additive for the following markets:

Stucco	Plastics
Asphalt Products	Rubber
Asbestos Replacement	
Foundry Coatings	

#### Typical Properties

Sieve Analysis	% retained
+100 mesh	1.5max
+325 mesh	30-45%
Bulk Density (Colgate)	14-20
Mean Particle Size (µm)	40-50
Color, L* value	>90
Moisture Loss @ 100°C	<1.0%
Specific Gravity	2.82
pH	6.0-7.5
CAS No.	12001-26-2



See SDS for safety and regulatory information.

Southeastern Performance Minerals, LLC  
1132 Veal Rd.  
Sandersville, GA 31082

Phone: (478)553-0048  
Fax: (478)553-0050  
info@sepm.us

The statements herein are based on data which is believed to be reliable. This data is offered in good faith and typical of normal production. SEPM make no warranty or representation, expressed or implied, regarding the accuracy of this data or the use of this product. The user is solely responsible for the use of this product.

Issue date: 6/11/15

Revised date: 6/21/18